












# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:24	12.02.2009
EL	2008	9	71	971-61		739		





# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:24	12.02.2009
EL	2008	9	71	971-61		739		

Pos	Part Number	Description	Remark	Qty	Model
1	3B7 035 447 B	plug housing flat contact housing radio for single wiring: matching contact housing:	12 pin 12 pin green/black 000 979 009 000 979 009 A 3B7 035 444	X X X	0,5 0,5
2	4F0 973 712	flat contact housing for single wiring:	12 pin green 000 979 026 000 979 026 A 000 979 242 000 979 242 A	1	0,5 0,5 2,5 2,5
3	6Q0 937 727	flat contact housing with contact locking mechanism for single wiring: matching contact housing: matching contact housing: connector location:	12 pin white 000 979 022 000 979 022 A 000 979 134 000 979 134 A 000 979 226 000 979 226 A 6Q1 937 700 6Q2 937 700 P	1 X X X X X X	0,5 0,5 1,0 1,0 2,5 2,5
4	6Q0 972 883	flat contact housing with contact locking mechanism for single wiring:	12 pin black 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X	1,0 1,0 1,0 1,0
(4)	6Q0 972 883 A	flat contact housing with contact locking mechanism for single wiring:	12 pin brown 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X	1,0 1,0 1,0 1,0
(4)	6Q0 972 883 B	flat contact housing with contact locking mechanism for single wiring:	12 pin red 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X	1,0 1,0 1,0 1,0
5	1K0 972 925	flat contact housing with contact locking mechanism single wiring	12 pin black 000 979 025 000 979 025 A 000 979 025 C 000 979 150 000 979 150 A 000 979 150 C	1 X X X X X X	0,5 0,5 0,5 1,0 1,0 1,0



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:24	12.02.2009
EL	2008	9	71	971-61		739		

Pos	Part Number	Description	Remark	Qty	Model
(5)	1K0 972 925 A	flat contact housing with contact locking mechanism single wiring	12 pin brown 000 979 025 000 979 025 A 000 979 025 C 000 979 150 000 979 150 A 000 979 150 C	1 X X X X X X	0,5 0,5 0,5 1,0 1,0 1,0
6	1K0 972 926	flat contact housing with contact locking mechanism for single wiring:	12 pin black 000 979 009	1 X	0,5
7	8E0 972 112	flat contact housing for single wiring:	12 pin black 000 979 009 000 979 009 A	1 X X	0,5 0,5
8	8E0 972 112 A	flat contact housing for single wiring:	12 pin black 000 979 009 000 979 009 A	1 X X	0,5 0,5
(8)	8E0 972 112 B	flat contact housing for single wiring:	12 pin brown 000 979 009 000 979 009 A	1 X X	0,5 0,5
9	4E0 972 713	flat contact housing with contact locking mechanism for single wiring:	12 pin black 000 979 009	1	0,5
-	8K0 937 501	fuse holder for single wiring:	12 point black 000 979 306 000 979 023 000 979 135 000 979 227	1	
-	4E0 973 812 A	flat contact housing with contact locking mechanism interlock for single wiring:	12 pin black rear 000 979 025 000 979 025 A 000 979 025 C 000 979 027 000 979 027 A 000 979 027 C 000 979 150 000 979 150 A 000 979 150 C 000 979 152 000 979 152 A 000 979 152 C 000 979 243 000 979 243 C 000 979 308 000 979 308 C 000 979 421 C	1 X	0,5 0,5 0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 1,0 1,0 1,0 1,0 2,5 2,5 4,0 4,0 6,0

