




ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		





ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
1	171 906 232 A	plug housing rd. connector sleeve housing for single wiring:	3 pin 3 pin black 000 979 108 000 979 208	X X X	1,0 2,5
2	--- --- ---	no longer available		X	
3	--- --- ---	no longer available		X	
4	113 919 113	round connector housing for single wiring:	3 pin black 000 979 109 000 979 209	X X X	1,0 2,5
5	893 971 633	flat contact housing for single wiring:	3 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X	1,0 1,0 2,5 2,5
		matching contact housing: matching contact housing:	893 971 993 4B0 971 993		
6	893 971 993	flat connector housing for single wiring:	3 pin black 000 979 103 000 979 233	X X X	1,0 2,5
		matching contact housing:	893 971 633	X	
(6)	4B0 971 993	flat connector housing for single wiring:	3 pin black 000 979 134 000 979 134 A 000 979 226 000 979 226 A	X X X X	1,0 1,0 2,5 2,5
		matching contact housing:	893 971 633	X	
7	161 971 970	flat contact housing for single wiring:	3 pin natural 000 979 107 000 979 204 000 979 402	X X X	1,0 2,5 6,0
		matching contact housing:	161 971 975		
8	161 971 975	flat connector housing for single wiring:	3 pin natural 000 979 104 000 979 203 000 979 409	X X X	1,0 2,5 6,0
		matching contact housing:	161 971 970		
9	171 971 998 B	round connector housing for single wiring:	3 pin natural 000 979 109 000 979 209	X X	1,0 2,5
		matching contact housing:	171 971 999 B		



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
10	171 971 999 B	rd. connector sleeve housing for single wiring: matching contact housing:	3 pin natural 000 979 108 000 979 208 171 971 998 B	X X X	1,0 2,5
11	1J0 972 924	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 133 000 979 133 A 000 979 133 AB 000 979 225 000 979 225 A 191 972 713	X X X X X X	1,0 1,0 1,0 2,5 2,5
12	191 972 713	flat connector housing for single wiring: matching contact housing:	3 pin black 000 979 129 000 979 219 1J0 972 924	X X X	1,0 2,5
13	1J0 972 753	flat contact housing for single wiring: matching contact housing: matching contact housing:	3 pin black 000 979 135 000 979 227 000 979 306 000 979 407 191 972 763 1J0 972 763	X X X X X	1,0 2,5 4,0 6,0
(13)	1K0 972 703	flat contact housing for single wiring:	3 pin 000 979 025 000 979 025 A	X X X	1,5 1,5
14	191 972 763	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 130 000 979 219 000 979 302 1J0 972 753	X X X X	1,0 2,5 4,0
(14)	1J0 972 763	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 134 000 979 134 A 000 979 226 1J0 972 753	1 X X X	1,0 1,0 2,5
15	357 972 753	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A 357 972 763	X X X X X	1,0 1,0 2,5 2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
16	357 972 763	flat connector housing for single wiring: matching contact housing:	3 pin black 000 979 129 000 979 219 357 972 753	X X X	1,0 2,5
17	1H0 906 233	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 407 357 972 783	X X X X X X	1,0 2,5 2,5 2,5 6,0
18	357 972 783	flat connector housing for single wiring: matching contact housing:	3 pin black 000 979 130 000 979 219 000 979 302 1H0 906 233	X X X X	1,0 2,5 4,0
19	813 972 927	flat contact housing with contact locking mechanism and grommet for single wiring: matching contact housing:	3 pin black/violet 000 979 135 000 979 227 000 979 407 813 972 928	X X X X	1,0 2,5 6,0
20	813 972 928	flat contact housing with contact locking mechanism and grommet for single wiring: matching contact housing:	3 pin black/violet 000 979 104 000 979 203 000 979 409 813 972 927	X X X X	1,0 2,5 6,0
21	443 906 233	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A 443 906 247	X X X X X	1,0 1,0 2,5 2,5
22	443 906 247	flat connector housing for single wiring: matching contact housing:	3 pin black 000 979 103 000 979 233 443 906 233	X X X	1,0 2,5
23	4A0 972 241	round connector housing for single wiring: matching contact housing:	3 pin black/pink 000 979 118 000 979 119 000 979 215 000 979 216 4A0 972 242	X X X X X	1,0 1,0 2,5 2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
24	4A0 972 242	rd. connector sleeve housing for single wiring:	3 pin black/pink 000 979 117 000 979 120 000 979 213 000 979 214 matching contact housing: 4A0 972 241	X X X X X	1,0 1,0 2,5 2,5
25	4A0 972 243	round connector housing for single wiring:	3 pin black/blue 000 979 118 000 979 119 000 979 215 000 979 216 matching contact housing: 4A0 972 244	X X X X X	1,0 1,0 2,5 2,5
26	4A0 972 244	rd. connector sleeve housing for single wiring:	3 pin black/blue 000 979 117 000 979 120 000 979 213 000 979 214 matching contact housing: 4A0 972 243	X X X X X	1,0 1,0 2,5 2,5
27	1J0 919 321	flat contact housing cigarette lighter for single wiring:	3 pin transparent 000 979 023 000 979 135 000 979 227 000 979 306 000 979 407 matching contact housing: 357 919 231	1 X X X X X	0,5 1,0 2,5 4,0 6,0
(27)	191 919 321	flat contact housing cigarette lighter for single wiring:	3 pin transparent 000 979 023 000 979 135 000 979 227 000 979 306 000 979 407 matching contact housing: 357 919 231	1 X X X X X	0,5 1,0 2,5 4,0 6,0
28	357 919 321	flat contact housing for single wiring:	3 pin natural 000 979 024 000 979 130 000 979 220 000 979 302 matching contact housing: 1J0 919 231	X X X X X	0,5 1,0 2,5 4,0
29	1T0 972 703	flat contact housing with contact locking mechanism for single wiring:	3 pin black 000 979 019 000 979 019 A 000 979 131 000 979 131 A matching contact housing: 535 972 713	1 X X X X	0,35 0,35 1,0 1,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
30	535 972 713	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 132 1T0 972 703	X X	1,0
31	1J0 906 233	flat contact housing for contact: matching contact housing:	3 pin black 000 979 024 000 979 136 000 979 228 000 979 307 1J0 906 443	X X X X	0,5 1,0 2,5 4,0
32	1J0 906 443	flat contact housing for single wiring: matching contact housing:	3 pin black 000 979 023 000 979 135 000 979 227 000 979 227 A 000 979 307 000 979 407 1J0 906 233	X X X X X X	0,5 1,0 2,5 2,5 4,0 6,0
33	1J0 937 723	flat contact housing with contact locking mechanism to be used for: use if required: matching contact housing: matching contact housing: for single wiring:	3 pin black green violet 1J0 937 724 1J0 937 713 8D0 937 713 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307	X X X X X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 4,0
(33)	1J0 937 723 A	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring: matching contact housing: matching contact housing:	3 pin brown grey light-green 1J0 937 724 A 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307 1J0 937 713 A 8D0 937 713 A	X X X X X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(34)	8D0 937 713	flat contact housing with retainer guide also to be used for: for single wiring:	3 pin black green 000 979 026 000 979 026 A 000 979 027 000 979 027 C 000 979 151 000 979 151 A 000 979 152 000 979 152 C 000 979 242 000 979 242 A 000 979 243 000 979 308 use if required: matching contact housing:	1 X X X X X X X X X X X X X X X 1	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5 4,0
(34)	1J0 937 713 A	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring:	3 pin brown grey light-green 1J0 937 714 A 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 matching contact housing:	X X X X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 4,0
(34)	8D0 937 713 A	flat contact housing with retainer guide also to be used for: for single wiring:	3 pin brown grey 000 979 026 000 979 026 A 000 979 027 000 979 027 C 000 979 151 000 979 151 A 000 979 152 000 979 152 C 000 979 242 000 979 242 A 000 979 243 000 979 308 use if required: matching contact housing:	1 X X X X X X X X X X X X X X 4,0	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5 2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(34)	1J0 937 713 B	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring: matching contact housing:	3 pin red white khaki grey 1J0 937 714 B 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 1J0 937 723 B	X X X X X X X X X X X	 1,0 1,0 1,0 2,5 2,5 2,5 4,0
(34)	8D0 937 713 B	flat contact housing with retainer guide also to be used for: for single wiring: use if required: matching contact housing:	3 pin red white 000 979 026 000 979 026 A 000 979 027 000 979 027 C 000 979 151 000 979 151 A 000 979 152 000 979 152 C 000 979 242 000 979 242 A 000 979 243 000 979 308 8D0 937 714 B 1J0 937 723 B	X X X X X X X X X X X X X X X X X X X X X X X X X X	 0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 1,0 2,5 2,5 2,5 4,0
(34)	1J0 937 713 D	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring: matching contact housing:	3 pin blue dark brown light pink orange 1J0 937 714 D 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 1J0 937 723 D	X X X X X X X X X X X X	 1,0 1,0 1,0 2,5 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(34)	8D0 937 713 D	flat contact housing with retainer guide also to be used for: for single wiring:	3 pin blue orange 000 979 026 000 979 026 A 000 979 027 000 979 027 C 000 979 151 000 979 151 A 000 979 152 000 979 152 C 000 979 242 000 979 242 A 000 979 243 000 979 308 use if required: matching contact housing:	1 X X X X X X X X X X X X X X X X	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5 4,0
35	1J0 937 724	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring: matching contact housing: matching contact housing:	3 pin black green violet 1J0 937 723 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307 1J0 937 714 8D0 937 714	X X X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 4,0
(35)	1J0 937 724 A	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring: matching contact housing: matching contact housing:	3 pin brown grey light-green 1J0 937 723 A 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307 1J0 937 714 A 8D0 937 714 A	X X X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(35)	1J0 937 724 B	<p>flat contact housing with contact locking mechanism to be used for:</p> <p>use if required: for single wiring:</p> <p>matching contact housing: matching contact housing:</p>	<p>3 pin red white khaki grey</p> <p>1J0 937 723 B 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307 1J0 937 714 B 8D0 937 714 B</p>	<p>X</p> <p>X X X X X X X X X X X X</p>	<p>1,0 1,0 1,0 2,5 2,5 2,5 4,0</p>
(35)	1J0 937 724 D	<p>flat contact housing with contact locking mechanism to be used for:</p> <p>use if required: for single wiring:</p> <p>matching contact housing: matching contact housing:</p>	<p>3 pin blue dark brown light pink orange</p> <p>1J0 937 723 D 000 979 134 000 979 134 A 000 979 136 000 979 226 000 979 226 A 000 979 228 000 979 307 1J0 937 714 D 8D0 937 714 D</p>	<p>X</p> <p>X X X X X X X X X X</p>	<p>1,0 1,0 1,0 2,5 2,5 2,5 4,0</p>
36	1J0 937 714	<p>flat contact housing with contact locking mechanism to be used for:</p> <p>use if required: for single wiring:</p> <p>matching contact housing:</p>	<p>3 pin black green violet</p> <p>1J0 937 713 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 1J0 937 724</p>	<p>X</p> <p>X X X X X X X X X</p>	<p>1,0 1,0 1,0 2,5 2,5 2,5 4,0</p>



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(36)	1J0 937 714 B	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring:	3 pin red white khaki grey 1J0 937 713 B 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 matching contact housing: 1J0 937 724 B	X X X X X X X X X X X	 1,0 1,0 1,0 2,5 2,5 2,5 4,0
(36)	8D0 937 714 B	flat contact housing with retainer guide also to be used for: use if required: matching contact housing: for single wiring:	3 pin red white 8D0 937 713 B 1J0 937 724 B 000 979 026 000 979 026 A 000 979 027 000 979 027 C 000 979 151 000 979 151 A 000 979 152 000 979 152 C 000 979 242 000 979 242 A 000 979 243	1 X X X X X X X X X X X	 0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5
(36)	1J0 937 714 D	flat contact housing with contact locking mechanism to be used for: use if required: for single wiring:	3 pin blue dark brown light pink orange 1J0 937 713 D 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 306 matching contact housing: 1J0 937 724 D	X X X X X X X X X	 1,0 1,0 1,0 2,5 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	8:50	12.02.2009
EL	2007	9	71	970-40		739		

Pos	Part Number	Description	Remark	Qty	Model
(36)	8D0 937 714 D	flat contact housing	3 pin blue	1	
		also to be used for:	orange		
		use if required:	8D0 937 713 D		
		matching contact housing:	1J0 937 724 D		
		for single wiring:	000 979 026	X	0,5
			000 979 026 A	X	0,5
			000 979 027	X	0,5
			000 979 027 C	X	0,5
			000 979 151	X	1,0
			000 979 151 A	X	1,0
			000 979 152	X	1,0
			000 979 152 C	X	1,0
			000 979 242	X	2,5
			000 979 242 A	X	2,5
			000 979 243	X	2,5
			000 979 308	X	4,0