




# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:07	12.02.2009
EL	2008	9	71	970-50		739		





# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:07	12.02.2009
EL	2008	9	71	970-50		739		

Pos	Part Number	Description	Remark	Qty	Model
1	171 035 447 B	plug housing flat contact housing for single wiring:	4 pin 4 pin white 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 407	X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 6,0
-	7H0 973 323	flat contact housing for single wiring:	4 pin black 000 979 128 000 979 221	1 X X	1,0 2,5
3	357 906 231	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 000 979 407	X X X X X X X X	1,0 1,0 1,0 2,5 2,5 2,5 6,0
4	191 906 231 C	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
5	311 906 231 C	flat contact housing for single wiring:	4 pin natural 000 979 105	X X	1,0
6	4A0 906 234	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
7	357 907 968	flat contact housing for single wiring:	4 pin green 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
8	357 919 754	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:07	12.02.2009
EL	2008	9	71	970-50		739		

Pos	Part Number	Description	Remark	Qty	Model
9	867 919 993	flat contact housing for single wiring:	4 pin natural 000 979 107 000 979 204 000 979 402	X X X X	1,0 2,5 6,0
10	357 937 517	junction box	4 pin black	X	
11	357 941 165	flat contact housing for single wiring:	4 pin black 000 979 135 000 979 227 000 979 407	X X X X	1,0 2,5 6,0
12	321 945 249	flat contact housing for single wiring:	4 pin black 000 979 135 000 979 227 000 979 407	X X X X	1,0 2,5 6,0
13	1H0 953 633 A	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
14	1H0 953 634	flat contact housing for single wiring:	4 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
15	1H0 953 634 A	flat contact housing for single wiring:	4 pin brown 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 2,5 2,5
16	--- --- ---	no longer available	4 pin natural	X	
17	321 971 837	flat contact housing for single wiring:	4 pin natural 000 979 106 000 979 107 000 979 204 000 979 402	X X X X X X	1,0 1,0 2,5 6,0
19	--- --- ---	no longer available	4 pin natural	X	
20	c 447 972 957	flat contact housing for single wiring:	4 pin black 000 979 106 000 979 212 000 979 405	X X X X X	1,0 2,5 6,0



# ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:07	12.02.2009
EL	2008	9	71	970-50		739		

Pos	Part Number	Description	Remark	Qty	Model
21	893 971 827	cable connector	4 pin white	X	
23	4A0 971 966	rd. connector sleeve housing	4 pin black	X	
		for single wiring:	000 979 117	X	1,0
			000 979 120	X	1,0
			000 979 213	X	2,5
			000 979 214	X	2,5
24	357 972 774	flat contact housing	4 pin black	X	
		for single wiring:	000 979 135	X	1,0
			000 979 227	X	2,5
			000 979 407	X	6,0
25	1H0 973 204	flat contact housing	4 pin black	X	
		for single wiring:	000 979 135	X	1,0
			000 979 227	X	2,5
			000 979 406	X	6,0
			000 979 407	X	6,0
26	2D0 971 989 CF	flat contact housing	4 pin black	X	
		for single wiring:	000 979 139	X	1,0
27	1H0 973 734	flat contact housing	4 pin black	X	
		for single wiring:	000 979 133	X	1,0
			000 979 133 A	X	1,0
			000 979 225	X	2,5
			000 979 225 A	X	2,5
28	357 972 784	flat connector housing	4 pin black	X	
		for single wiring:	000 979 130	X	1,0
			000 979 219	X	2,5
29	1K0 972 772	flat contact housing with contact locking mechanism	4 pin black/orange	1	
		for single wiring:	000 979 025	X	0,5
			000 979 025 A	X	0,5
			000 979 025 C	X	0,5
			000 979 150	X	1,0
			000 979 150 A	X	1,0
			000 979 150 C	X	1,0
30	1K0 972 974	flat contact housing with contact locking mechanism	4 pin yellow/orange	1	
		for single wiring:	000 979 025 A		0,5
			000 979 150 A		1,5