




# ETKA

| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |





# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos | Part Number   | Description   | Remark  | Qty | Model |
|-----|---------------|---|---|-----|-------|
|     |               | single wiring<br>temp. resistant:<br>-----<br>also use:<br>or<br>use if required:<br>see illustration:                          | 0,35-0,5<br>-40C/+105C<br><br>000 979 940<br>000 979 941<br>000 979 990<br>979-40/41 1,0<br>979-50/51 2,5<br>979-60/61 4,0<br>979-70/71 6,0 |     |       |
| (1) | 000 979 940   | butt connector, watertight,<br>can be welded<br>temp. resistant:  | 0,35-0,5<br>bright yellow<br>-55C/+125C   | X   |       |
| 1   | 000 979 941   | butt connector, watertight,<br>can be welded<br>temp. resistant:  | 0,5-1,0<br>red<br>-55C/+125C  | X   |       |
| (1) | 000 979 990   | 1 set: shrink fit sleeves<br>can be sealed watertight<br>contents of package:   | 3MM/1MM<br><br>20   | X   |       |
| (1) | 000 979 991   | 1 set: shrink fit sleeves<br>can be sealed watertight<br>contents of package:   | 6MM/2MM<br><br>12   | X   |       |
| 2   | 000 979 002   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug | 0,5<br>-40C/+105C<br><br>0,63   | X   |       |
| 3   | --- --- --- . | discontinued / replacement:<br>flat connector/sleeve with<br>retaining lug  | 000 979 018<br>0,63   | X   |       |
| 3   | --- --- --- . | discontinued / replacement:<br>flat connector/sleeve with<br>retaining lug  | 000 979 018 A<br>0,63   | X   |       |
| 4   | >000 979 004  | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact<br>angle                       | 0,5<br>-40C/+105C<br><br>3,5  | X   |       |
| 5   | 000 979 006   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact                                | 0,5<br>-40C/+105C<br><br>2,4  | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos | Part Number   | Description  | Remark   | Qty | Model |
|-----|---------------|--|--|-----|-------|
| 6   | 000 979 007   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:                    | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 008   | X   |       |
| (6) | 000 979 007 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:        | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 008 A | X   |       |
| 7   | 000 979 008   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug<br>counterpart to:             | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 007   | X   |       |
| (7) | 000 979 008 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug<br>counterpart to: | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 007 A | X   |       |
| 8   | 000 979 009   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug<br>counterpart to:             | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 012   | X   |       |
| (8) | 000 979 009 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug<br>counterpart to: | 0,5<br>-40C/+105C<br><br>0,63<br>000 979 012 A | X   |       |
| (8) | 000 979 009 C | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug                    | 0,5<br>-40C/+105C<br><br>0,63                  | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description  | Remark                    | Qty | Model |
|------|---------------|--|---------------------------|-----|-------|
| 9    | 000 979 010   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat connector/sleeve with retaining lug   | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| (9)  | 000 979 010 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector/sleeve with retaining lug                                     | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| (10) | 000 979 010 D | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat insert sleeve with locking lug, nyogel filled (copper wires galvanised) | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| 10   | 000 979 011   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat connector/sleeve with retaining lug   | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| 11   | 000 979 012   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat connector with retaining lug  | 0,5<br>-40C/+105C<br>0,63 | X   |       |
|      |               | counterpart to:  | 000 979 009               |     |       |
| (11) | 000 979 012 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector with retaining lug  | 0,5<br>-40C/+105C<br>0,63 | X   |       |
|      |               | counterpart to:  | 000 979 009 A             |     |       |
| 12   | 000 979 013   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact   | 0,5<br>-40C/+105C<br>2,8  | X   |       |
| 13   | 000 979 014 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector/sleeve with retaining lug                                     | 0,5<br>-40C/+105C<br>0,63 | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description   | Remark                    | Qty | Model |
|------|---------------|---|---------------------------|-----|-------|
| (13) | 000 979 034   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact with retaining lug   | 0,5<br>-40C/+105C<br>1,5  | X   |       |
| (13) | 000 979 034 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat contact with retaining lug                             | 0,5<br>-40C/+105C<br>1,5  | X   |       |
| (13) | 000 979 034 C | 1 set of single leads with 2 silver-coated contacts each, in bag of 5 items 'order qty. 5' flat contact with retaining lug                      | 0,5<br>-40C/+105C<br>1,5  | X   |       |
| 14   | 000 979 015   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat connector with retaining lug                                       | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| (14) | 000 979 015 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector with retaining lug                           | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| (14) | 000 979 015 D | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector with retaining lug (copper wires galvanised) | 0,5<br>-40C/+105C<br>0,63 | X   |       |
| (14) | 000 979 035   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat connector with retaining lug                                       | 0,5<br>-40C/+105C<br>1,5  | X   |       |
| (14) | 000 979 035 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat connector with retaining lug                           | 0,5<br>-40C/+105C<br>1,5  | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description   | Remark                        | Qty | Model |
|------|---------------|---|-------------------------------|-----|-------|
| (14) | 000 979 035 C | 1 set of single leads with<br>2 silver-coated contacts<br>each, in bag of 5 items<br>'order qty. 5'<br>flat connector with<br>retaining lug                     | 0,5<br>-40C/+105C<br><br>1,5  | X   |       |
| 15   | 000 979 016   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact  | 0,35<br>-40C/+105C<br><br>2,8 | X   |       |
| 16   | 000 979 017   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug  | 0,5<br>-40C/+105C<br><br>0,63 | X   |       |
|      |               | counterpart to:   | 000 979 018                   |     |       |
| 17   | 000 979 018   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug                                 | 0,5<br>-40C/+105C<br><br>0,63 | X   |       |
|      |               | counterpart to:   | 000 979 017                   |     |       |
| (17) | 000 979 018 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug                     | 0,5<br>-40C/+105C<br><br>0,63 | X   |       |
| (17) | 000 979 018 C | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve with<br>retaining lug<br>KEIN GEGENSTUECK | 0,5<br>-40C/+105C<br><br>0,63 | X   |       |
| 18   | 000 979 019   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact  | 0,35<br>-40C/+105C<br><br>1,5 | X   |       |
|      |               | counterpart to:   | 000 979 020                   |     |       |
| (18) | 000 979 019 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact  | 0,35<br>-40C/+105C<br><br>1,5 | X   |       |
|      |               | counterpart to:   | 000 979 020 A                 |     |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description   | Remark   | Qty | Model |
|------|---------------|---|--|-----|-------|
| 19   | 000 979 020   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:             | 0,35<br>-40C/+105C<br><br>1,5<br>000 979 019   | X   |       |
| (19) | 000 979 020 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to: | 0,35<br>-40C/+105C<br><br>1,5<br>000 979 019 A | X   |       |
| 20   | 000 979 021   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:             | 0,5<br>-40C/+105C<br><br>2,8<br>000 979 022    | X   |       |
| (20) | 000 979 021 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to: | 0,5<br>-40C/+105C<br><br>2,8<br>000 979 022 A  | X   |       |
| 21   | 000 979 022   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:             | 0,5<br>-40C/+105C<br><br>2,8<br>000 979 021    | X   |       |
| (21) | 000 979 022 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to: | 0,5<br>-40C/+105C<br><br>2,8<br>000 979 021 A  | X   |       |
| 22   | 000 979 023   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:             | 0,5<br>-40C/+105C<br><br>4,8<br>000 979 024    | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description   | Remark                                    | Qty | Model |
|------|---------------|---|---|-----|-------|
| 23   | 000 979 024   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector with<br>retaining lug<br>counterpart to:                     | 0,5<br>-40C/+105C<br>4,8<br>000 979 023   | X   |       |
| 24   | 000 979 025   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug<br>counterpart to:                       | 0,5<br>-40C/+105C<br>1,5<br>000 979 020   | X   |       |
| (24) | 000 979 025 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug<br>counterpart to:           | 0,5<br>-40C/+105C<br>1,5<br>000 979 020 A | X   |       |
| (24) | 000 979 025 C | 1 set of single leads with<br>2 silver-coated contacts<br>each, in bag of 5 items<br>'order qty. 5'<br>flat contact with<br>retaining lug                       | 0,5<br>-40C/+105C<br>1,5                  | X   |       |
| (24) | 000 979 025 D | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug<br>(copper wires galvanised) | 0,5<br>-40C/+105C<br>1,5                  | X   |       |
| 25   | 000 979 026   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug<br>counterpart to:                       | 0,5<br>-40C/+105C<br>2,8<br>000 979 022   | X   |       |
| (25) | 000 979 026 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug<br>counterpart to:           | 0,5<br>-40C/+105C<br>2,8<br>000 979 022 A | X   |       |





# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos  | Part Number   | Description  | Remark                       | Qty | Model |
|------|---------------|--|------------------------------|-----|-------|
| 26   | 000 979 027   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact with retaining lug                    | 0,5<br>-40C/+105C<br>4,8     | X   |       |
| (26) | 000 979 027 C | 1 set of single leads with 2 silver-coated contacts each, in bag of 5 items 'order qty. 5' flat contact with retaining lug | 0,5<br>-40C/+105C<br>4,8     | X   |       |
| 27   | 000 979 028   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact with retaining lug                    | 0,5<br>-40C/+105C<br>2,7     | X   |       |
| 28   | 000 979 029 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' flat contact with retaining lug        | 0,5<br>-40C/+105C<br>1,0-1,5 | X   |       |
| (28) | 000 979 030   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact with retaining lug                    | 0,5<br>-40C/+105C<br>0,63    | X   |       |
| -    | 000 979 031 A | 1 set: single wires each with 2 gold plated contacts. qty. 5 per bag 'order unit 5' round connector sleeve                 | 0,5<br>-40C/+105C<br>1,6     | X   |       |
| -    | 000 979 032   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' flat contact with retaining lug                    | 0,5<br>-40C/+105C<br>0,63    | X   |       |
| -    | 000 979 032 C | 1 set of single leads with 2 silver-coated contacts each, in bag of 5 items 'order qty. 5' flat contact with retaining lug | 0,5<br>-40C/+105C<br>2,8     | X   |       |
| -    | 000 979 033   | 1 set: single wires each with 2 contacts, qty. 5 per bag 'order unit 5' round connector sleeve                             | 0,5<br>-40C/+105C<br>1,5     | X   |       |



# ETKA

|       |      |    |    |              |              |     |       |            |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| Model | Year | MG | SG | Illustration | Restrictions | UPD | 10:02 | 12.02.2009 |
| EL    | 2008 | 9  | 71 | 979-30       |              | 739 |       |            |

| Pos | Part Number   | Description   | Remark                        | Qty | Model |
|-----|---------------|---|-------------------------------|-----|-------|
| -   | 000 979 036   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>round connector sleeve                                | 0,5<br>-40C/+105C<br><br>2,0  | X   |       |
| -   | 000 979 037   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug                    | 0,5<br>-40C/+105C<br><br>1,5  | X   |       |
| -   | 000 979 038 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug        | 0,5<br>-40C/+105C<br><br>1,5  | X   |       |
| -   | 000 979 038 D | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact<br>(copper wires galvanised) | 0,5<br>-40C/+105C<br><br>1,5  | X   |       |
| -   | 000 979 039 A | 1 set: single wires each<br>with 2 gold plated contacts.<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug        | 0,5<br>-40C/+105C<br><br>0,63 | X   |       |
| -   | 000 979 040   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug                    | 0,5<br>-40C/+105C             | X   |       |
| -   | 000 979 042   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat contact with<br>retaining lug                    | 0,5<br>-40C/+105C<br><br>1,8  | X   |       |
| -   | 000 979 043   | 1 set: single wires each<br>with 2 contacts,<br>qty. 5 per bag<br>'order unit 5'<br>flat connector/sleeve                                 | 0,5<br>-40C/+105C<br><br>2,0  | X   |       |