












ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	10:05	12.02.2009
EL	2008	9	71	979-60		739		





ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	10:05	12.02.2009
EL	2008	9	71	979-60		739		

Pos	Part Number	Description	Remark	Qty	Model
		single wiring temp. resistant: ----- also use: use if required: see illustration:	4,0 -40C/+105C 111 971 938 A 000 979 992 979-30/31 0,5 979-40/41 1,0 979-50/51 2,5 979-70/71 6,0		
1	000 979 943	butt connector, watertight, can be welded temp. resistant:	yellow 4.0-6,0 -55C/+125C	X	
(1)	000 979 992	1 set: shrink fit sleeves can be sealed watertight contents of package:	12MM/4MM 8	X	
2	000 979 301	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' round connector sleeve	4,0 -40C/+105C 4,0	X	
3	000 979 302	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat contact	4,0 -40C/+105C 4,8	X	
4	000 979 303	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat contact	4,0 4,8	X	
5	000 979 304	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' cyl.connector with retain. lug	4,0 -40C/+105C 3,5	X	
6	000 979 305	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' cylindrical connector with retaining lug	4,0 -40C/+105C 3,5	X	
7	000 979 306	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat contact with retaining lug	4,0 -40C/+105C 4,8	X	



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	10:05	12.02.2009
EL	2008	9	71	979-60		739		

Pos	Part Number	Description	Remark	Qty	Model
8	000 979 307	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat connector with retaining lug	4,0 -40C/+105C 4,8	X	
9	000 979 308	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat contact with retaining lug	4,0 -40C/+105C 4,8	X	
(9)	000 979 308 C	1 set single wires each with 2 silver-plated contacts, in bag of 4 'order qty. 4' flat contact with retaining lug	4,0 -40C/+105C 4,8	X	
(9)	000 979 309	1 set: single wires each with 2 contacts, qty. 4 per bag 'order unit 4' flat connector/sleeve with retaining lug	4,0 -40C/+105C 6,3	X	