




ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:28	12.02.2009
EL	2008	9	71	972-05		739		





ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:28	12.02.2009
EL	2008	9	71	972-05		739		

Pos	Part Number	Description	Remark	Qty	Model
1	171 971 971	plug housing rd. connector sleeve housing for single wiring:	20 pin 20 pin yellow 000 979 108 000 979 208	X X X	1,0 2,5
2	1J0 927 320	round connector housing with contact lock for single wiring:	20 pin black 000 979 154	X X	1,0
3	867 972 501	rd. connector sleeve housing matching contact housing: for single wiring:	20 pin black 867 972 501 B 000 979 108 000 979 110 000 979 208 000 979 211 000 979 305	X X X X X X	1,0 1,0 2,5 2,5 4,0
4	867 972 501 B	round connector housing matching contact housing: for single wiring:	20 pin black 867 972 501 000 979 109 000 979 111 000 979 209 000 979 210 000 979 304	X X X X X X	1,0 1,0 2,5 2,5 6,0
5	867 972 501 A	rd. connector sleeve housing matching contact housing: for single wiring:	20 pin natural 867 972 501 C 000 979 108 000 979 110 000 979 208 000 979 211 000 979 305	X X X X X X	1,0 1,0 2,5 2,5 4,0
6	867 972 501 C	round connector housing matching contact housing: for single wiring:	20 pin natural 867 972 501 A 000 979 109 000 979 111 000 979 209 000 979 210 000 979 304	X X X X X X	1,0 1,0 2,5 2,5 6,0
7	4A0 972 883 B	flat contact housing for single wiring:	20 pin red/white 000 979 018 000 979 018 A	X X X	0,5 0,5
(7)	3D0 972 883	flat contact housing for single wiring:	20 pin black 000 979 018 000 979 018 A	1 X X	0,5 0,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:28	12.02.2009
EL	2008	9	71	972-05		739		

Pos	Part Number	Description	Remark	Qty	Model
8	4B0 972 643	flat contact housing for single wiring:	20 pin black 000 979 131 000 979 131 A 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X X X	1,0 1,0 1,0 1,0 2,5 2,5
9	8E0 972 701	flat contact housing use if required: for single wiring: counterpart to:	20 pin black 8E0 971 981 A 000 979 012 000 979 012 A 000 979 226 000 979 226 A 000 979 228 8E0 972 702	X X X X X X X	0,5 0,5 2,5 2,5 2,5
(9)	8H0 972 701	flat contact housing a/b-pillar for sheet metal thickness: for single wiring: counterpart to:	20 pin brown 2,25MM 000 979 012 000 979 012 A 000 979 226 000 979 226 A 000 979 228 000 979 228 A 8E0 972 702	X X X X X X X	0,5 0,5 1,0 1,0 2,5 2,5
10	8E0 971 981 A	protective cap flat contact housing	black 8E0 972 701 8E0 972 702	X X X	
11	8E0 972 702	flat contact housing use if required: for single wiring: counterpart to:	20 pin black 8E0 971 981 A 000 979 009 000 979 009 A 000 979 133 000 979 133 A 000 979 135 000 979 225 000 979 225 A 000 979 227 8E0 972 701	X X X X X X X X X X	0,5 0,5 1,0 1,0 1,0 2,5 2,5 2,5
12	8E0 971 981 A	protective cap flat contact housing	black 8E0 972 701 8E0 972 702	X X X	
13	1K0 971 975	flat contact housing with contact locking mechanism for single wiring:	20 pin black 000 979 009 000 979 009 A 000 979 151 000 979 151 A 000 979 242 000 979 242 A 000 979 308	1 X X X X X X X	0,5 0,5 1,0 1,0 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:28	12.02.2009
EL	2008	9	71	972-05		739		

Pos	Part Number	Description	Remark	Qty	Model
14	8E0 972 420	flat contact housing	20 pin red	1	
		for single wiring:	000 979 009	X	0,5
			000 979 009 A	X	0,5
15	8E0 972 420 B	flat contact housing	20 pin red/black	1	
		for single wiring:	000 979 009	X	0,5
			000 979 009 A	X	0,5
16	8E0 972 420 C	flat contact housing	20 pin black	1	
		for single wiring:	000 979 009	X	0,5
			000 979 009 A	X	0,5