





ETKA


Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		




1




2




3




4




5




6




7




8




9




10




11




12




13




14




15




16



17



18



19



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
1	2D0 971 989 CC	plug housing	6 pin		
		flat contact housing	6 pin black	X	
		cyl. connector with solder pin	2D0 972 982 A	X	
2	2D0 971 989 G	flat connector housing	6 pin black	X	
		for single wiring:	000 979 105	X	
			000 979 106	X	
3	4A0 972 643	flat contact housing	6 pin yellow	X	
		for single wiring:	000 979 019	X	0,35
			000 979 019 A	X	0,35
			000 979 131	X	1,0
			000 979 131 A	X	1,0
		use if required:	4A0 972 643 A	1	
4	4A0 972 643 A	flat contact housing	6 pin green	X	
		for single wiring:	000 979 019	X	0,5
			000 979 019 A	X	0,5
			000 979 131	X	1,0
			000 979 131 A	X	1,0
		use if required:	4A0 972 643	1	
5	8E0 971 636	flat contact housing with retainer guide	6 pin black	X	
		for single wiring:	000 979 021	X	0,5
			000 979 021 A	X	0,5
			000 979 133	X	1,0
			000 979 133 A	X	1,0
			000 979 133 B	X	1,0
			000 979 225	X	2,5
			000 979 225 A	X	2,5
		(5)	3B0 972 706	flat contact housing	6 pin black
	for single wiring:	000 979 019	X	0,35	
		000 979 019 A	X	0,35	
		000 979 131	X	1,0	
		000 979 131 A	X	1,0	
6	1J0 973 713 G	flat contact housing	6 pin grey	X	
		for single wiring:	000 979 019	X	0,35
			000 979 019 A	X	0,35
			000 979 131	X	1,0
			000 979 131 A	X	1,0
7	1J0 973 726	flat contact housing with contact locking mechanism	6 pin black	X	
		for single wiring:	000 979 133	X	1,0
			000 979 133 A	X	1,0
			000 979 225	X	2,5
			000 979 225 A	X	2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
8	4B0 973 121	flat contact housing for single wiring:	6 pin black/white 000 979 009	X X	0,5
9	6X0 972 926	flat contact housing for single wiring:	6 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X	1,0 1,0 2,5 2,5
10	8N0 971 636	flat contact housing for single wiring:	6 pin black 000 979 106 000 979 114 000 979 212 000 979 405	X X X X	1,0 1,0 2,5 6,0
11	1J0 972 723	flat contact housing for single wiring:	6 pin black 000 979 133 000 979 133 A 000 979 225 000 979 225 A	X X X X	1,0 1,0 2,5 2,5
12	8D0 937 731	flat contact housing with retainer guide to be used for: for single wiring:	6 pin black green violet 000 979 151 000 979 151 A 000 979 242 000 979 242 A 000 979 308	X X X X X X X X	1,0 1,0 2,5 2,5 4,0
(12)	8D0 937 731 A	flat contact housing with retainer guide to be used for: for single wiring:	6 pin brown grey light-green 000 979 151 000 979 151 A 000 979 242 000 979 242 A 000 979 308	X X X X X X X X	1,0 1,0 2,5 2,5 4,0
(12)	8D0 937 731 B	flat contact housing with retainer guide to be used for: for single wiring:	6 pin red white khaki grey 000 979 151 000 979 151 A 000 979 242 000 979 242 A 000 979 308	X X X X X X X X	1,0 1,0 2,5 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
(12)	8D0 937 731 D	flat contact housing with retainer guide to be used for:	6 pin blue orange dark brown light pink 000 979 151 000 979 151 A 000 979 242 000 979 242 A 000 979 308	X X X X X X	 1,0 1,0 2,5 2,5 4,0
13	6Q0 937 702	flat contact housing with contact locking mechanism for single wiring:	6 pin black 000 979 019 000 979 019 A 000 979 131 000 979 131 A	1 X X X X	 0,35 0,35 1,0 1,0
(13)	6Q0 937 702 A	flat contact housing with contact locking mechanism for single wiring:	6 pin brown 000 979 019 000 979 019 A 000 979 131 000 979 131 A	1 X X X X	 0,35 0,35 1,0 1,0
(13)	6Q0 937 702 B	flat contact housing with contact locking mechanism for single wiring:	6 pin red 000 979 019 000 979 019 A 000 979 131 000 979 131 A	1 X X X X	 0,35 0,35 1,0 1,0
14	6Q0 937 711	flat contact housing with contact locking mechanism for single wiring:	6 pin black 000 979 133 000 979 133 A	1 X X	 1,0 1,0
(14)	6Q0 937 711 A	flat contact housing with contact locking mechanism for single wiring:	6 pin brown 000 979 133 000 979 133 A	1 X X	 1,0 1,0
(14)	6Q0 937 711 B	flat contact housing with contact locking mechanism for single wiring:	6 pin red 000 979 133 000 979 133 A	1 X X	 1,0 1,0
(14)	6Q0 937 711 D	flat contact housing with contact locking mechanism for single wiring:	6 pin blue 000 979 133 000 979 133 A	1 X X	 1,0 1,0
(14)	6Q0 937 711 E	flat contact housing with contact locking mechanism for single wiring:	6 pin white 000 979 133 000 979 133 A	1 X X	 1,0 1,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
15	6Q0 937 721	flat contact housing with contact locking mechanism for single wiring:	6 pin brown 000 979 022 000 979 022 A 000 979 134 000 979 134 A 000 979 226 000 979 226 A counterpart to: connector location:	1 X X X X X X C	 0,5 0,5 1,0 1,0 2,5 2,5
(15)	6Q0 937 721 A	flat contact housing with contact locking mechanism for single wiring:	6 pin red 000 979 022 000 979 022 A 000 979 134 000 979 134 A 000 979 226 000 979 226 A counterpart to: connector location:	1 X X X X X X G	 0,5 0,5 1,0 1,0 2,5 2,5
(15)	6Q0 937 721 B	flat contact housing with contact locking mechanism for single wiring:	6 pin blue 000 979 022 000 979 022 A 000 979 134 000 979 134 A 000 979 226 000 979 226 A counterpart to: connector location:	1 X X X X X X B	 0,5 0,5 1,0 1,0 2,5 2,5
(15)	6Q0 937 721 C	flat contact housing with contact locking mechanism for single wiring:	6 pin green 000 979 022 000 979 022 A 000 979 134 000 979 134 A 000 979 226 000 979 226 A counterpart to: connector location:	1 X X X X X X E	 0,5 0,5 1,0 1,0 2,5 2,5
(15)	6Q0 937 722	flat contact housing with contact locking mechanism for single wiring:	6 pin grey 000 979 136 000 979 228 000 979 307 counterpart to: counterpart to: connector location:	1 X X X 6Q1 937 700 6Q2 937 700 N	 1,0 2,5 4,0



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
16	6Q0 972 773	flat contact housing with contact locking mechanism for single wiring:	6 pin violet 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
(16)	6Q0 972 773 A	flat contact housing with contact locking mechanism for single wiring:	6 pin brown 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
(16)	6Q0 972 773 B	flat contact housing with contact locking mechanism for single wiring:	6 pin red 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
(16)	6Q0 972 773 D	flat contact housing with contact locking mechanism for single wiring:	6 pin blue 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
(16)	6Q0 972 773 E	flat contact housing with contact locking mechanism for single wiring:	6 pin white 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
(16)	6Q0 972 773 F	flat contact housing with contact locking mechanism for single wiring:	6 pin green 000 979 019 000 979 019 A 000 979 131 000 979 131 A 000 979 133 000 979 133 A	1 X X X X X X	 0,35 0,35 1,0 1,0 1,0 1,0
17	4D0 971 636	flat contact housing also to be used for: for single wiring:	6 pin black white 000 979 009 000 979 009 A	X X X	 0,5 0,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
(17)	8E0 906 236	flat contact housing	6 pin black	1	
		for single wiring:	000 979 009	X	
			000 979 009 A	X	
18	1K0 972 641	flat contact housing	6 pin black	1	
		for single wiring:	000 979 026	X	0,5
			000 979 026 A	X	0,5
			000 979 027	X	0,5
			000 979 027 C	X	0,5
			000 979 151	X	1,0
			000 979 151 A	X	1,0
			000 979 152	X	1,0
			000 979 152 C	X	1,0
			000 979 242	X	2,5
			000 979 242 A	X	2,5
			000 979 243	X	2,5
			000 979 308	X	4,0
19	1K0 972 923	flat contact housing with contact locking mechanism	6 pin black	1	
		for single wiring:	000 979 009	X	0,5
			000 979 009 A	X	0,5
			000 979 026	X	0,5
			000 979 026 A	X	0,5
			000 979 151	X	1,0
			000 979 151 A	X	1,0
			000 979 242	X	2,5
			000 979 242 A	X	2,5
(19)	1K0 972 923 A	flat contact housing with contact locking mechanism	6 pin brown	1	
		for single wiring:	000 979 009	X	0,5
			000 979 009 A	X	0,5
			000 979 026	X	0,5
			000 979 026 A	X	0,5
			000 979 151	X	1,0
			000 979 151 A	X	1,0
			000 979 242	X	2,5
			000 979 242 A	X	2,5
-	4F0 972 926	flat contact housing	6 pin black	1	
		for single wiring:	000 979 025	X	0,5
			000 979 025 A	X	0,5
			000 979 025 C	X	0,5
			000 979 150	X	1,0
			000 979 150 A	X	1,0
			000 979 150 C	X	1,0
-	6Q0 972 706 A	flat contact housing with contact locking mechanism	6 pin brown	1	
		for single wiring:	000 979 009		0,5
-	070 973 121	flat contact housing	6 pin black	1	
		for single wiring:	000 979 245	X	2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
-	070 973 121 A	flat contact housing for single wiring:	6 pin black 000 979 245	1 X	2,5
-	6Q0 937 702	flat contact housing with contact locking mechanism veh. elect. sys. control unit	6 pin black	1	
-	6Q0 937 702 A	flat contact housing with contact locking mechanism veh. elect. sys. control unit for models with cruise control system	6 pin brown	1	
-	6Q0 937 702 B	flat contact housing with contact locking mechanism veh. elect. sys. control unit	6 pin red	1	
-	5Z0 972 773	flat contact housing with contact locking mechanism for single wiring:	6 pin red 000 979 021 000 979 021 A 000 979 023 000 979 023 A 000 979 133 000 979 133 A 000 979 135 000 979 135 A 000 979 225 000 979 225 A 000 979 227 000 979 227 A	1	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 1,0 2,5 2,5 2,5 2,5
-	5Z0 972 773 A	flat contact housing with contact locking mechanism for single wiring:	6 pin brown 000 979 021 000 979 021 A 000 979 023 000 979 023 A 000 979 133 000 979 133 A 000 979 135 000 979 135 A 000 979 225 000 979 225 A 000 979 227 000 979 227 A	1	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5 2,5



ETKA

Model	Year	MG	SG	Illustration	Restrictions	UPD	9:12	12.02.2009
EL	2008	9	71	970-92		739		

Pos	Part Number	Description	Remark	Qty	Model
-	520 972 773 C	flat contact housing with contact locking mechanism for single wiring:	6 pin green 000 979 021 000 979 021 A 000 979 023 000 979 023 A 000 979 133 000 979 133 A 000 979 135 000 979 135 A 000 979 225 000 979 225 A 000 979 227 000 979 227 A	1	0,5 0,5 0,5 0,5 1,0 1,0 1,0 1,0 2,5 2,5 2,5 2,5
-	547 971 919 BC	flat connector housing for single wiring:	6 pin 000 979 042	1 X	